

POSTHARVEST REGISTERED ACTIVES

HIGH-VOLUME WATER APPLICATION

ACTIVE INGREDIENT (FORMULATION)	FRAC	TARGET	PPM
2,4 D Sodium Salt (25 SL)	PGR	Plant Growth Regulator (PGR). Prevents abscission of the calyx	250
Azoxystrobin (250 SC)	11	Green mould, Brown Rot	1125
Azoxystrobin (240 SC)	11	Green mould, Blue mould	600
Fludioxonil (240 SC)	12	Green mould, Blue mould	600
Fludioxonil (230 SC)	12	Green mould, Blue mould	600
Guazatine (210 SL)	M7	Sour rot, Green mould, Blue mould	1000
Imazalil as sulphate (750 SG)/ Imazalil as sulphate (750 SP)	3	Green mould, Blue mould, Sporulation control	500
Imazalil (500 EC)	3	Green mould, Blue mould, Sporulation control	500
Imazalil (7.5%) + Ortho-phenylphenol (10%)	3 NC*	Green mould, Blue mould, <i>Diplodia</i> , <i>Phomopsis</i>	375 – 450 500 – 600
Imazalil (200 SC) + Pyrimethanil (200 SC)	3 9	Green mould, Blue mould	500 500
Ortho-phenylphenol (10%)	NC	Green mould, Blue mould, <i>Rhizopus</i>	1000 – 2000
Pyrimethanil (400 SC)	9	Green mould, Blue mould	1000
Pyrimethanil (400 EC) + Fludioxonil (100 EC)	9 12	Green mould, Blue mould	800 200
Thiabendazole (500 SC)	1	Stem-end rot, Green and Blue mould	1000

ALWAYS REFER TO PRODUCT LABELS

*NC = Not Classified

MRL list and restrictions: Visit www.cga.co.za or email pb@cga.co.za for "RECOMMENDED USAGE RESTRICTIONS FOR PLANT PROTECTION PRODUCTS ON SOUTHERN AFRICAN EXPORT CITRUS"